


Ob-R Antibody / Leptin Receptor / LEPR [clone LEPR/4545] (V4664)


Catalog No.	Formulation	Size
V4664-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V4664-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V4664SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Mouse
Clonality	Monoclonal (mouse origin)
Isotype	Mouse IgG2b, kappa
Clone Name	LEPR/4545
Purity	Protein A/G affinity
UniProt	P48357
Localization	Secreted, Cell surface
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml for 30 min at RT
Limitations	This Ob-R antibody is available for research use only.



IHC staining of FFPE human kidney tissue with Ob-R antibody (clone LEPR/4545). Inset: PBS used in place of primary Ab (secondary Ab negative control). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human hepatocellular carcinoma tissue with Ob-R antibody (clone LEPR/4545). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



SDS-PAGE analysis of purified, BSA-free Ob-R antibody (clone LEPR/4545) as confirmation of integrity and purity.



Analysis of a HuProt(TM) microarray containing more than 19,000 full-length human proteins using Ob-R antibody (clone LEPR/4545). Z- and S- Score: The Z-score represents the strength of a signal that a monoclonal antibody (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt(TM) array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt(TM) are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a mAb to its intended target. A mAb is considered to specific to its intended target, if the mAb has an S-score of at least 2.5. For example, if a mAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that mAb to protein X is equal to 29.

Description

Although there is substantial evidence that body weight is physiologically regulated, the molecular basis of obesity is unknown. Five single-gene mutations in mice that result in an obese phenotype have been identified. The first such recessive obesity mutation, the *obese* mutation (*Ob*), was identified in 1950. Mutation of *Ob* results in profound obesity and type II diabetes as part of a syndrome that resembles morbid obesity in humans. It has been postulated that the *Ob* gene product may function as a component of a signaling pathway in adipose tissue that functions to regulate body fat depot size. The cloning and sequence analysis of the mouse *Ob* gene and its human homolog has recently been described. *Ob* encodes an adipose tissue-specific mRNA with a highly conserved 167 amino acid open reading frame. The predicted amino acid sequence is 84% identical between human and mouse and has the features of a secreted protein. A nonsense mutation in codon 105 has been found in the original congenic C57BL/6J *Ob/Ob* mouse strain. The *Ob* gene encodes the protein leptin. The leptin receptor, designated *Ob-R*, has been shown to be a single membrane-spanning receptor that most resembles the gp130 signal transducing component of the IL-6, G-CSF and LIF receptor. *Ob-R* mRNA is expressed in the choroid plexus and hypothalamus.

Application Notes

Optimal dilution of the *Ob-R* antibody should be determined by the researcher.

Immunogen

A recombinant partial protein sequence (within amino acids 335-425) from the human protein was used as the immunogen for the *Ob-R* antibody.

Storage

Aliquot the Ob-R antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.