
PAX5 Antibody (RQ4043)


Catalog No.	Formulation	Size
RQ4043	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose and 0.025% sodium azide
UniProt	Q02548
Localization	Nuclear
Applications	Western Blot: 0.5-1ug/ml IHC (FFPE): 1-2ug/ml IF/ICC (FFPE): 2-4ug/ml Direct ELISA: 0.1-0.5ug/ml
Limitations	This PAX5 antibody is available for research use only.




IHC testing of FFPE human tonsil tissue with PAX5 antibody at 1ug/ml. Required HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to testing.




IHC testing of FFPE mouse spleen tissue with PAX5 antibody at 1ug/ml. Required HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to testing.



IHC testing of FFPE rat spleen tissue with PAX5 antibody at 1ug/ml. Required HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to testing.



Western blot testing of human Raji cell lysate with PAX5 antibody at 0.5ug/ml. Predicted molecular weight ~42 kDa.



IF/ICC staining of FFPE human U-2 OS cells with PAX5 antibody (green) at 2ug/ml. HIER: steam section in pH6 citrate buffer for 20 min.

Description

Paired box protein Pax-5 is a protein that in humans is encoded by the PAX5 gene. The PAX5 gene is a member of the paired box (PAX) family of transcription factors. The central feature of this gene family is a novel, highly conserved DNA-binding domain, known as the paired box. The PAX proteins are important regulators in early development, and alterations in the expression of their genes are thought to contribute to neoplastic transformation. The PAX5 gene encodes the B-cell lineage specific activator protein (BSAP) that is expressed at early, but not late stages of B-cell differentiation. Its expression has also been detected in developing CNS and testis, therefore, PAX5 gene product may not only play an important role in B-cell differentiation, but also in neural development and spermatogenesis.

Application Notes

Optimal dilution of the PAX5 antibody should be determined by the researcher.

Immunogen

A recombinant human partial protein corresponding to amino acids R217-A282 was used as the immunogen for the PAX5 antibody.

Storage

After reconstitution, the PAX5 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Copyright © NSJ Bioreagents. All rights reserved.