


# PDCD4 Antibody (RQ7299)


Catalog No.	Formulation	Size
RQ7299	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

## **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	Q53EL6
Applications	Western Blot : 0.5-1ug/ml Flow Cytometry : 1-3ug/million cells
Limitations	This PDCD4 antibody is available for research use only.



Flow cytometry testing of human HepG2 cells with PDCD4 antibody at 1ug/million cells (blocked with goat sera); Red=cells alone, Green=isotype control, Blue= PDCD4 antibody.



Western blot testing of human 1) HeLa, 2) 293T, 3) Jurkat and 4) T-47D cell lysate with PDCD4 antibody. Expected molecular weight: 50-60 kDa.

### **Description**

Programmed cell death protein 4 (PDCD4) is a protein that in humans is encoded by the PDCD4 gene. It is mapped to 10q25.2. This gene is a tumor suppressor and encodes a protein that binds to the eukaryotic translation initiation factor 4A1 and inhibits its function by preventing RNA binding. It also encodes a protein localized to the nucleus in proliferating cells. Expression of this gene is modulated by cytokines in natural killer and T cells. The gene product is thought to play a role in apoptosis but the specific role has not yet been determined.

## **Application Notes**

Optimal dilution of the PDCD4 antibody should be determined by the researcher.

### **Immunogen**

Amino acids YDVEEVDVKDPNYDDDQENCVYE were used as the immunogen for the PDCD4 antibody.

#### **Storage**

After reconstitution, the PDCD4 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.