
# PUM2 Antibody (R33599)

| Catalog No. | Formulation | Size |
|---|---|---|
| R33599-100UG | 0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide | 100 ug |

**Bulk quote request**

| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Predicted Reactivity** | Cow |
| **Format** | Antigen affinity purified |
| **Host** | Goat |
| **Clonality** | Polyclonal (goat origin) |
| **Isotype** | Goat Ig |
| **Purity** | Antigen affinity |
| **Gene ID** | 23369 |
| **Applications** | Western Blot : 0.5-2ug/ml<br>ELISA (peptide) LOD : 1:4000 |
| **Limitations** | This PUM2 antibody is available for research use only. |




Western blot testing of HEK293 lysate overexpressing human PUM2-FLAG with PUM2 antibody (0.5ug/ml) in Lane A and probed with anti-FLAG (1/3000) in lane C. Mock-transfected HEK293 probed with PUM2 antibody (1ug/ml) in Lane B.

## Description

Additional name(s) for this target protein: Pumilio homolog 2

## Application Notes

Optimal dilution of the PUM2 antibody should be determined by the researcher.

## Immunogen

Amino acids DQNRDLKQGDDDDSK were used as the immunogen for this PUM2 antibody.

## Storage

Aliquot and store the PUM2 antibody at -20oC.


Copyright © NSJ Bioreagents. All rights reserved.