


## Recombinant Adipophilin Antibody / Perilin 2 / ADRP / PLIN2 [clone rADFP/1493] (V7687)

Catalog No.	Formulation	Size
V7687-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	100 ug
V7687-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	20 ug
V7687SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant **MOUSE MONOCLONAL**

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Purified
<b>Host</b>	Mouse
<b>Clonality</b>	Recombinant Mouse Monoclonal
<b>Isotype</b>	Mouse IgG1, kappa
<b>Clone Name</b>	rADFP/1493
<b>Purity</b>	Protein G affinity chromatography
<b>UniProt</b>	Q99541
<b>Localization</b>	Cytoplasmic
<b>Applications</b>	ELISA (order BSA-free Format For Coating) : Immunohistochemistry (FFPE) : 1-2ug/ml
<b>Limitations</b>	This recombinant Adipophilin antibody is available for research use only.



IHC staining of FFPE human adrenal tissue with recombinant Adipophilin antibody (clone rADFP/1493). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min and allow to cool before testing.



SDS-PAGE analysis of purified, BSA-free recombinant Adipophilin antibody (clone rADFP/1493) as confirmation of integrity and purity.

## Description

Recognizes a protein of 48kDa, which is identified as Adipophilin. It belongs to the perilipin family, members of which coat intracellular lipid storage droplets. This protein is associated with the lipid globule surface membrane material, and maybe involved in development and maintenance of adipose tissue. However, it is not restricted to adipocytes as previously thought, but is found in a wide range of cultured cell lines, including fibroblasts, endothelial and epithelial cells, and tissues, such as lactating mammary gland, adrenal cortex, Sertoli and Leydig cells, and hepatocytes in alcoholic liver cirrhosis, suggesting that it may serve as a marker of lipid accumulation in diverse cell types and diseases.

## Application Notes

Optimal dilution of the recombinant Adipophilin antibody should be determined by the researcher.

## Immunogen

A human recombinant partial protein (amino acids 249-376) was used as the immunogen for this Adipophilin antibody.

## Storage

Store the recombinant Adipophilin antibody at 2-8oC (with azide) or aliquot and store at -20oC or colder (without azide).