


Recombinant Bcl6 Antibody [clone rBCL6/1475] (V8063)

Catalog No.	Formulation	Size
V8063-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	100 ug
V8063-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	20 ug
V8063SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug

Recombinant **MOUSE MONOCLONAL**

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Mouse
Clonality	Recombinant Mouse Monoclonal
Isotype	Mouse IgG1, kappa
Clone Name	rBCL6/1475
Purity	Protein G affinity chromatography
UniProt	P41182
Localization	Nuclear
Applications	Western Blot : 1-2ug/ml
Limitations	This recombinant Bcl6 antibody is available for research use only.



SDS-PAGE analysis of purified, BSA-free recombinant Bcl6 antibody (clone rBCL6/1475) as confirmation of integrity and purity.

Description

The specificity of this monoclonal antibody to its intended target was validated by HuProtTM Array, containing more than 19,000, full-length human proteins. Recognizes a protein of 95kDa, which is identified as Bcl-6. Antibody to bcl-6 is helpful in a number of diagnostic settings: (1) In the differential diagnosis of small B-cell lymphoma. Follicular lymphoma will show bcl-6 (and CD10) positivity whereas other small B-cell lymphomas are usually negative. (2) Bcl-6 is an important prognostic marker in diffuse large B-cell lymphomas (DLBCL), where CD10, bcl-6 and MUM1/IRF4 are used to identify germinal center and activated B-cell phenotypes. (3) Bcl-6 can be valuable in distinguishing classical Hodgkin lymphoma from nodular lymphocyte predominant Hodgkin lymphoma (NLPHL). The Reed-Sternberg cells of classical Hodgkin lymphoma are bcl-6 negative whereas the large ('LH') cells of NLPHL are bcl-6 positive. In contrast, anti-Bcl-6 rarely stains mantle-cell lymphoma and MALT lymphoma.

Application Notes

Optimal dilution of the recombinant Bcl6 antibody should be determined by the researcher.

Immunogen

A recombinant human partial protein (amino acids 256-389) was used as the immunogen for this recombinant Bcl6 antibody.

Storage

Store the recombinant Bcl6 antibody at 2-8oC (with azide) or aliquot and store at -20oC or colder (without azide).