


Recombinant Caudal Type Homeobox 2 Antibody / CDX2 [clone rCDX2/6921] (V9367)

Catalog No.	Formulation	Size
V9367-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V9367-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V9367SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant MOUSE MONOCLONAL

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Recombinant Mouse Monoclonal
Isotype	Mouse IgG1, kappa
Clone Name	rCDX2/6921
Purity	Protein A/G affinity
UniProt	Q99626
Localization	Nuclear
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml
Limitations	This recombinant Caudal Type Homeobox 2 antibody is available for research use only.



IHC staining of FFPE human colon carcinoma tissue with recombinant Caudal Type Homeobox 2 antibody (clone rCDX2/6921). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human colon adenocarcinoma tissue with recombinant Caudal Type Homeobox 2 antibody (clone rCDX2/6921) at 2ug/ml in PBS for 30min RT. Negative control inset: PBS instead of primary antibody to control for secondary binding. HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.

Description

The intestine-specific transcription factors CDX1 and CDX2 are important for directing intestinal development, differentiation, proliferation and maintenance of the intestinal phenotype. CDX2 protein expression has been seen in GI carcinomas. Anti-CDX2 has been useful to establish GI origin of metastatic adenocarcinomas and carcinoids and is especially useful to distinguish metastatic colorectal adenocarcinoma from lung adenocarcinoma. However, mucinous carcinomas of the ovary also express CDX2 protein. It limits the usefulness of this marker in the distinction of metastatic colorectal adenocarcinoma from mucinous carcinoma of the ovary.

Application Notes

Optimal dilution of the recombinant Caudal Type Homeobox 2 antibody should be determined by the researcher.

Immunogen

A synthetic peptide from human CDX2 protein was used as the immunogen for the recombinant Caudal Type Homeobox 2 antibody.

Storage

Aliquot the recombinant Caudal Type Homeobox 2 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.