


Recombinant CD44v9 Antibody / Rabbit Monoclonal [clone CD44v9/2344R] (V3572)

Catalog No.	Formulation	Size
V3572-100UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	100 ug
V3572-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide	20 ug
V3572SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug
V3572IHC-7ML	Prediluted in 1X PBS with 0.1 mg/ml BSA (US sourced) and 0.05% sodium azide; *For IHC use only*	7 ml


Recombinant RABBIT MONOCLONAL

[Bulk quote request](#)

Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Rabbit
Clonality	Recombinant Rabbit Monoclonal
Isotype	Rabbit IgG, kappa
Clone Name	CD44v9/2344R
Purity	Protein A affinity chromatography
UniProt	P16070
Localization	Cell surface, cytoplasmic
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml for 30 min at RT
Limitations	This recombinant CD44v9 antibody is available for research use only.



IHC testing of FFPE human tonsil with recombinant CD44v9 antibody (clone CD44v9/2344R). Required HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 10-20 min followed by cooling at RT for 20 min.



SDS-PAGE analysis of purified, BSA-free recombinant CD44v9 antibody (clone CD44v9/2344R) as confirmation of integrity and purity.

Description

This antibody recognizes an epitope encoded by exon v9 on the variant portion of human CD44. The CD44 molecule belongs to a family of cellular adhesion molecules found on a wide range of normal and malignant cells in epithelial, mesothelial and hemopoiesis tissues. CD44 is a single gene with 20 exons, of which 10 are normally expressed to encode the basic CD44 (H-CAM) molecule. The additional 10 exons (v1 to v10) are only expressed by alternative splicing of the nuclear RNA. The expression of specific cell adhesion molecule CD44 splice variants has been reported to be associated with metastasis in certain human malignancies.

Application Notes

Titering of the recombinant CD44v9 antibody may be required for optimal performance.

Immunogen

An amino acid sequence from the variant 9 domain of CD44 was used as the immunogen for the recombinant CD44v9 antibody.

Storage

Store the recombinant CD44v9 antibody at 2-8°C (with azide) or aliquot and store at -20°C or colder (without azide).