


Recombinant CNN1 Antibody / Calponin-1 [clone rCNN1/9164] (V5560)

Catalog No.	Formulation	Size
V5560-100UG	0.2~mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	100 ug
V5560-20UG	0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide	20 ug
V5560SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant MOUSE MONOCLONAL

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Clonality	Recombinant Mouse Monoclonal
Isotype	Mouse IgG2b, kappa
Clone Name	rCNN1/9164
Purity	Protein A/G affinity
UniProt	P51911
Localization	Cytoplasm
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml
Limitations	This recombinant CNN1 antibody is available for research use only.



IHC staining of FFPE human uterus tissue with recombinant CNN1 antibody (clone rCNN1/9164). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human uterus tissue with recombinant CNN1 antibody (clone rCNN1/9164). HIER: boil tissue sections in pH 9 10mM Tris with 1mM EDTA for 20 min and allow to cool before testing.



SDS-PAGE analysis of purified, BSA-free recombinant CNN1 antibody (clone rCNN1/9164) as confirmation of integrity and purity.

Description

Multiple isoelectric variants of calponin have been identified, however only two molecular weight isoforms exist; a 34kDa form and a 29kDa form. Expression of the 29kDa form, I-calponin, is primarily restricted to muscle of the urogenital tract, whereas the higher molecular weight variant has been demonstrated in vascular and visceral smooth muscle. In Western blotting, this MAb reacts with only the 34kDa form of calponin in extracts of human aortic medial smooth muscle and is unreactive with fibroblast extracts of cultivated human foreskin. Calponin is a calmodulin, F-actin and tropomyosin binding protein, which is thought to be involved in the regulation of smooth muscle contraction. Calponin expression is restricted to smooth muscle cells and has been shown to be a marker of the differentiated (contractile) phenotype of developing smooth muscle.

Application Notes

Optimal dilution of the recombinant CNN1 antibody should be determined by the researcher.

Immunogen

A recombinant fragment (within amino acids 1-200) of human CNN1 protein was used as the immunogen for the recombinant CNN1 antibody.

Storage

Aliquot the recombinant CNN1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.