


## RFX4 Antibody / Regulatory factor X4 (FY12443)

Catalog No.	Formulation	Size
FY12443	Adding 0.2 ml of distilled water will yield a concentration of 500 ug/ml	100 ug

[Bulk quote request](#)

<b>Availability</b>	1-2 days
<b>Species Reactivity</b>	Human
<b>Format</b>	Lyophilized
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit IgG
<b>Purity</b>	Immunogen affinity purified
<b>Buffer</b>	Each vial contains 4 mg Trehalose, 0.9 mg NaCl, 0.2 mg Na <sub>2</sub> HPO <sub>4</sub> .
<b>UniProt</b>	Q33E94
<b>Applications</b>	Western Blot : 0.25-0.5ug/ml ELISA : 0.1-0.5ug/ml
<b>Limitations</b>	This RFX4 antibody is available for research use only.



Western blot analysis of RFX4 using anti-RFX4 antibody. Lane 1: human U-87MG whole cell lysates, Lane 2: human U251 whole cell lysates. After electrophoresis, proteins were transferred to a nitrocellulose membrane at 150 mA for 50-90 minutes. Blocked the membrane with 5% non-fat milk/TBS for 1.5 hour at RT. The membrane was incubated with rabbit anti-RFX4 antibody at 0.5 ug/ml overnight at 4oC, then washed with TBS-0.1%Tween 3 times with 5 minutes each and probed with a goat anti-rabbit IgG-HRP secondary antibody at a dilution of 1:5000 for 1.5 hour at RT. The signal was developed using enhanced chemiluminescent. RFX4 (~83 kDa predicted) was detected as multiple bands between 70 and 120 kDa, consistent with reported alternative splice variants and proteolytic fragments of RFX4 in glioma and brain-derived cells.

### Description

RFX4 antibody recognizes regulatory factor X4, a transcription factor belonging to the RFX family of winged-helix DNA-binding proteins. RFX4 binds to X-box motifs in promoter regions and regulates the transcription of numerous genes involved in development, cell differentiation, and ciliary function. Within the brain, RFX4 plays an essential role in the differentiation of neural progenitors and the maintenance of ventricular zone organization. It is expressed predominantly

in the central nervous system, with enrichment in the hypothalamus and cerebral cortex. The RFX4 antibody is widely used to investigate its role in neurodevelopment, ciliogenesis, and transcriptional regulation of genes associated with signaling and metabolism.

RFX4 is encoded by the RFX4 gene located on human chromosome 12q23.1. Alternative splicing of this gene produces several isoforms, including RFX4\_v1, RFX4\_v2, and RFX4\_v3, each differing in transcriptional activity and tissue expression. The protein contains a conserved DNA-binding domain characteristic of RFX family members, as well as a dimerization domain that allows heterodimer formation with other RFX proteins such as RFX2 or RFX3. These interactions contribute to complex transcriptional control of cilia-related genes, making RFX4 a central node in the regulation of motile and primary cilia biogenesis.

The RFX4 antibody has been instrumental in studies linking gene expression patterns to developmental brain disorders. Loss-of-function mutations or altered RFX4 expression have been associated with congenital hydrocephalus, holoprosencephaly, and various neurodevelopmental syndromes. Mouse models deficient in Rfx4 show severe forebrain malformations and altered neuronal differentiation, demonstrating its crucial role in brain patterning. Beyond the CNS, RFX4 contributes to the regulation of genes expressed in reproductive and endocrine tissues, including those controlling gonadotropin-releasing hormone production and pituitary signaling. Researchers use this antibody for western blot, immunohistochemistry, and immunofluorescence to monitor its expression during neurogenesis and in cultured cells undergoing differentiation.

In experimental systems, RFX4 localizes mainly to the nucleus, where it binds target promoters and interacts with co-regulatory proteins such as CREB-binding protein (CBP) and EP300. Studies using chromatin immunoprecipitation and transcriptome analyses have revealed that RFX4 controls transcriptional programs tied to ciliary trafficking, cell polarity, and synaptic development. NSJ Bioreagents provides a validated RFX4 antibody optimized for human, mouse, and rat samples, supporting applications across developmental and molecular neuroscience. Its specificity makes it valuable in dissecting the molecular pathways underlying ciliopathies and neurodevelopmental disorders.

## Application Notes

Optimal dilution of the RFX4 antibody should be determined by the researcher.

## Immunogen

E.coli-derived human RFX4 recombinant protein (Position: Q124-H667) was used as the immunogen for the RFX4 antibody.

## Storage

After reconstitution, the RFX4 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.