
# Ribonuclease H2 subunit B Antibody / RNASEH2B [clone RM433] (R20448)

| Catalog No. | Formulation | Size |
|---|---|---|
| R20448-0.1ML | Antibody in PBS with 50% glycerol, 1% BSA and 0.09% sodium azide | 100 ul |


Recombinant RABBIT MONOCLONAL

**Bulk quote request**


| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Format** | Purified |
| **Host** | Rabbit |
| **Clonality** | Recombinant Rabbit Monoclonal |
| **Isotype** | Rabbit IgG |
| **Clone Name** | RM433 |
| **Purity** | Protein A purified from animal origin-free supernatant |
| **UniProt** | Q5TBB1 |
| **Localization** | Nuclear |
| **Applications** | Immunohistochemistry (FFPE): 1:50-1:100<br>Western blot: 1:1000-1:2000 |
| **Limitations** | This recombinant Ribonuclease H2 subunit B antibody is available for research use only. |




IHC staining of FFPE human tonsil tissue with recombinant Ribonuclease H2 subunit B antibody at 1:100.




IHC staining of FFPE human lung cancer tissue with recombinant Ribonuclease H2 subunit B antibody at 1:100.



IHC staining of FFPE human colon cancer tissue with recombinant Ribonuclease H2 subunit B antibody at 1:100.




Western blot testing of human Jurkat cell lysate with recombinant Ribonuclease H2 subunit B antibody at 1:1000 dilution. Predicted molecular weight ~35 kDa.




Western blot testing of lysate from human Hela cells treated with RNAseH2B siRNA/RNAiMaxx for 72 hours. Courtesy of Dr. Antje Neeb, The Institute of Cancer Research, London, UK

## Description

This antibody reacts to human RNASEH2B/Ribonuclease H2 subunit B protein.

## Application Notes

The stated application concentrations are suggested starting points. Titration of the recombinant Ribonuclease H2 subunit B antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A peptide corresponding to the C-terminus of RNASEH2B was used as the immunogen for the recombinant Ribonuclease H2 subunit B antibody.

## Storage

Store the recombinant Ribonuclease H2 subunit B antibody at -20oC.

Copyright © NSJ Bioreagents. All rights reserved.