
# RIG Antibody / Protein regulated in glioma (F53866)

| Catalog No. | Formulation | Size |
|---|---|---|
| F53866-0.2ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.2 ml |
| F53866-0.05ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.05 ml |

**Bulk quote request**

| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Format** | Antigen affinity purified |
| **Host** | Rabbit |
| **Clonality** | Polyclonal (rabbit origin) |
| **Isotype** | Rabbit Ig |
| **Purity** | Antigen affinity |
| **UniProt** | Q13278 |
| **Applications** | Western blot: 1:500-1000 |
| **Limitations** | This RIG antibody is available for research use only. |




Westen blot testing of human lung lysate with RIG antibody at 1:1000. Predicted molecular weight: 12 kDa.

## Description

'Protein regulated in glioma' may serve as a molecular marker for or play a role in the malignant progression of glioblastomas.

## Application Notes

Titration of the RIG antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A portion of amino acids 58-87 from the human protein was used as the immunogen for the RIG antibody.

## Storage

Aliquot the RIG antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.

Ordering: Phone: 858.663.9055 | Fax: 1.267.821.0800 | Email: info@nsjbio.com
Copyright © NSJ Bioreagents. All rights reserved.