


## RPL14 Antibody / Ribosomal Protein L14 (F53842)

| Catalog No.   | Formulation                                | Size    |
|---------------|--|---------|
| F53842-0.2ML  | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.2 ml  |
| F53842-0.05ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.05 ml |

#### **Bulk quote request**

| Availability       | 1-3 business days                                       |
|--------------------|---|
| Species Reactivity | Human   |
| Format             | Antigen affinity purified                               |
| Clonality          | Polyclonal (rabbit origin)                              |
| Isotype            | Rabbit Ig   |
| Purity             | Antigen affinity  |
| UniProt            | P50914  |
| Applications       | Western Blot : 1:1000-2000                              |
| Limitations        | This RPL14 antibody is available for research use only. |



Western blot testing of human 1) HeLa, 2) Jurkat, 3) MCF-7, 4) 293T/17, 5) U-2OS and 6) A431 cell lysate with RPL14 antibody at 1:2000. Predicted molecular weight: 23 kDa.

#### **Description**

Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 60S subunit. 60S ribosomal protein L14 belongs to the L14E family of ribosomal proteins. It contains a basic region-leucine zipper (bZIP)-like domain. The protein is located in the cytoplasm. This gene contains a trinucleotide (GCT) repeat tract whose length is highly polymorphic; these triplet repeats result in a stretch of alanine residues in the encoded protein. Transcript variants utilizing alternative polyA signals and alternative 5'-terminal exons exist but all encode the same protein. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome. [RefSeq]

# **Application Notes**

Titration of the RPL14 antibody may be required due to differences in protocols and substrate sensitivity.

### **Immunogen**

A portion of amino acids 117-147 from the human protein was used as the immunogen for the RPL14 antibody.

### **Storage**

Aliquot the RPL14 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.