
RPS28 Antibody / 40S ribosomal protein S28 (RQ7900)


Catalog No.	Formulation	Size
RQ7900	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	P62857
Localization	Cytoplasm, Nucleus
Applications	Western blot: 0.5-1ug/ml Immunohistochemistry (FFPE): 2-5ug/ml Immunofluorescece: 5ug/ml Direct ELISA: 0.1-0.5ug/ml
Limitations	This RPS28 antibody is available for research use only.




Immunofluorescent staining of FFPE human A549 cells with PAPSS2 antibody (green) and Alpha Tubulin mAb (red). HIER: steam section in pH6 citrate buffer for 20 min.



IHC staining of FFPE human colon cancer tissue with RPS28 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human endometrial cancer tissue with RPS28 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



Western blot testing of 1) human HeLa, 2) human 293T, 3) human PC-3, 4) rat spleen, 5) rat PC-12, 6) mouse spleen and 7) mouse NIH 3T3 cell lysate with RPS28 antibody. Predicted molecular weight ~8 kDa.

Description

40S ribosomal protein S28 is a protein that in humans is encoded by the RPS28 gene. Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S28E family of ribosomal proteins. It is located in the cytoplasm. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.

Application Notes

Optimal dilution of the RPS28 antibody should be determined by the researcher.

Immunogen

E. coli-derived recombinant human protein (amino acids M1-R69) was used as the immunogen for the RPS28 antibody.

Storage

After reconstitution, the RPS28 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Copyright © NSJ Bioreagents. All rights reserved.