
# SLC16A1 Antibody (F48179)

| Catalog No. | Formulation | Size |
|---|---|---|
| F48179-0.4ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.4 ml |
| F48179-0.08ML | In 1X PBS, pH 7.4, with 0.09% sodium azide | 0.08 ml |

**Bulk quote request**

| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Format** | Purified |
| **Host** | Rabbit |
| **Clonality** | Polyclonal (rabbit origin) |
| **Isotype** | Rabbit Ig |
| **Purity** | Purified |
| **UniProt** | P53985 |
| **Applications** | Western Blot : 1:1000 |
| **Limitations** | This SLC16A1 antibody is available for research use only. |




Western blot analysis of MCT1/ SLC16A1 antibody and CEM lysate.

## Description

SLC16A1 is a monocarboxylate transporter (MCT1) that mediates the movement of lactate and pyruvate across cell membranes. Import and export of these substrates by tissues such as erythrocytes, muscle, intestine, and kidney are ascribed largely to the action of a proton-coupled MCT.

## Application Notes

Titration of the SLC16A1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## Immunogen

A portion of amino acids 200-228 from the human protein was used as the immunogen for this SLC16A1 antibody.

## Storage

Aliquot the SLC16A1 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.


Copyright © NSJ Bioreagents. All rights reserved.