



SOD1 Antibody Superoxide Dismutase 1 (R30411)

Catalog No.	Formulation	Size
R30411	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity
Buffer	Lyophilized from 1X PBS with 2.5% BSA and 0.025% sodium azide/thimerosal
UniProt	P00441
Applications	Western Blot: 0.5-1ug/ml IHC (FFPE): 0.5-1ug/ml IHC (Frozen): 0.5-1ug/ml Immunocytochemistry: 0.5-1ug/ml
Limitations	This SOD1 antibody is available for research use only.





IHC-P: SOD1 antibody testing of human breast cancer tissue

Description

Superoxide dismutases are a class of enzymes that catalyze the dismutation of superoxide into oxygen and hydrogen peroxide. As such, they are an important antioxidant defense in nearly all cells exposed to oxygen. One of the exceedingly rare exceptions is Lactobacillus plantarum and related lactobacilli, which use a different mechanism.Cu,Zn-SOD was found widely distributed in the cell cytosol and in the cell nucleus, consistent with it being a soluble cytosolic protein. Mitochondria and secretory compartments did not label for this protein. In human cells, peroxisomes showed a labeling density slightly less than that of cytoplasm.

Application Notes

The stated application concentrations are suggested starting amounts. Titration of the SOD1 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

An amino acid sequence from the C-terminus of Human Superoxide Dismutase 1 (IIGRTLVVHEKADDLGK) was used as the immunogen for this SOD1 antibody.

Storage

After reconstitution, the SOD1 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.