


SOX10 Antibody (RQ4045)


Catalog No.	Formulation	Size
RQ4045	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human, Mouse, Rat
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	P56693
Applications	Western Blot : 0.5-1ug/ml Immunohistochemistry (FFPE) : 2-5ug/ml
Limitations	This SOX10 antibody is available for research use only.




IHC staining of FFPE human melanoma tissue with SOX10 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE human melanoma tissue with SOX10 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



IHC staining of FFPE mouse brain tissue with SOX10 antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



Western blot testing of 1) human SH-SY5Y, 2) human U-251, 3) human U-2 OS, 4) human U-87 MG, 5) rat brain, 6) rat C6, 7) mouse brain and 8) mouse Neuro-2a cell lysate with SOX10 antibody. Expected molecular weight: 50-58 kDa.

Description

Transcription factor SOX-10 is a protein that in humans is encoded by the SOX10 gene. This gene encodes a member of the SOX (SRY-related HMG-box) family of transcription factors involved in the regulation of embryonic development and in the determination of the cell fate. The encoded protein may act as a transcriptional activator after forming a protein complex with other proteins. This protein acts as a nucleocytoplasmic shuttle protein and is important for neural crest and peripheral nervous system development. Mutations in this gene are associated with Waardenburg-Shah and Waardenburg-Hirschsprung disease.

Application Notes

Optimal dilution of the SOX10 antibody should be determined by the researcher.

Immunogen

Amino acids KPHIDFGNVDIGEISHEVMSNMETFDVAELDQYL from the human protein were used as the immunogen for the SOX10 antibody.

Storage

After reconstitution, the SOX10 antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.