
# SOX10 Antibody SOX10/992 / Neural Crest Marker Antibody [clone SOX10/992] (V8813)


| Catalog No. | Formulation | Size |
|---|---|---|
| V8813-100UG | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 100 ug |
| V8813-20UG | 0.2 mg/ml in 1X PBS with 0.1 mg/ml BSA (US sourced), 0.05% sodium azide | 20 ug |
| V8813SAF-100UG | 1 mg/ml in 1X PBS; BSA free, sodium azide free | 100 ug |

**Bulk quote request**


| | |
|---|---|
| **Availability** | 1-3 business days |
| **Species Reactivity** | Human |
| **Format** | Purified |
| **Host** | Mouse |
| **Clonality** | Monoclonal (mouse origin) |
| **Isotype** | Mouse IgG1, kappa |
| **Clone Name** | SOX10/992 |
| **Purity** | Protein A/G affinity |
| **UniProt** | P56693 |
| **Localization** | Nuclear |
| **Applications** | ELISA (For coating purchase antibody without BSA)<br>Western blot: 1-2ug/ml |
| **Limitations** | This SOX10 Antibody SOX10/992 / Neural Crest Marker Antibody is available for research use only. |





SOX10 Antibody SOX10/992 WB Analysis. Western blot testing of human COLO-38 cell lysate using SOX10/Neural Crest Marker antibody (clone SOX10/992). Expected molecular weight: 50-58 kDa.




Western blot analysis of SOX10 (A) recombinant protein and (B) human A375 cell lysate using SOX10/Neural Crest Marker antibody (clone SOX10/992). Expected molecular weight: 50-58 kDa.




Analysis of HuProt(TM) microarray containing more than 19,000 full-length human proteins using SOX10/Neural Crest Marker antibody (clone SOX10/992). These results demonstrate the foremost specificity of the SOX10/992 mAb. Z- and S- score: The Z-score represents the strength of a signal that an antibody (in combination with a fluorescently-tagged anti-IgG secondary Ab) produces when binding to a particular protein on the HuProt(TM) array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If the targets on the HuProt(TM) are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-scores. The S-score therefore represents the relative target specificity of an Ab to its intended target.




SDS-PAGE analysis of purified, BSA-free SOX10/Neural Crest Marker antibody (SOX10/992) as confirmation of integrity and purity.

## Description

SOX10 Antibody SOX10/992 / Neural Crest Marker Antibody recognizes Neural Crest Marker, a transcription factor encoded by the SOX10 gene that belongs to the SOX family of HMG-box DNA-binding proteins. SOX10 functions primarily within the nucleus, where it regulates transcriptional programs governing neural crest specification and differentiation. The conserved HMG-box domain allows SOX10 to bind DNA and modulate gene expression necessary for melanocyte and peripheral glial development. During embryogenesis, SOX10 is indispensable for neural crest cell survival and migration, directing differentiation toward melanocytic, Schwann cell, and enteric glial lineages. Through activation of MITF and other lineage-specific transcription factors, SOX10 supports pigmentation pathways and melanocyte identity. In peripheral nerves, SOX10 contributes to Schwann cell maturation and myelin gene regulation, coordinating with signaling cascades such as neuregulin and Notch. In adult tissues, SOX10 expression remains largely confined to melanocytes in the epidermis and hair follicles and to Schwann cells associated with peripheral nerves. This restricted pattern makes SOX10 Antibody SOX10/992 a sensitive marker for neural crest-derived cells. In diagnostic and translational research settings, SOX10 is widely studied in melanoma, malignant peripheral nerve sheath tumors, and clear cell sarcoma, where nuclear staining supports lineage identification. SOX10 expression is also observed in subsets of breast carcinoma and salivary gland tumors, particularly those demonstrating basal or myoepithelial differentiation. Because SOX10 expression is tightly linked to neural crest biology, its detection can provide insight into tumor differentiation status and cellular origin. Neural Crest Marker Antibody targeting SOX10 is therefore suitable for immunohistochemical detection and related laboratory applications focused on developmental pathways, pigmentation biology, and cancer characterization.

For a recombinant monoclonal alternative targeting the same transcription factor, see our SOX10 Antibody rSOX10/1074 (V3563), featuring WB, IHC, and protein microarray validation.

## Application Notes

Optimal dilution of the SOX10 Antibody SOX10/992 / Neural Crest Marker Antibody should be determined by the researcher.

## Immunogen

A portion of amino acids 115-269 was used as the immunogen for the SOX10 Antibody SOX10/992.

## Storage

Aliquot the SOX10 Antibody SOX10/992 and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.

## Alternate Names

SRY-Box Transcription Factor 10 antibody, SRY-Box 10 antibody, SRY-Related HMG-Box 10 antibody, SOX-10 antibody, SOX 10 antibody, Transcription Factor SOX10 antibody, SRY-Box Protein 10 antibody


Copyright © NSJ Bioreagents. All rights reserved.