


## SPARC Antibody / Osteonectin [clone r15G12] (V6002)

Catalog No.	Formulation	Size
V6002-100UG	0.2 mg/ml in 1X PBS with 0.05% BSA, 0.05% sodium azide	100 ug
V6002-20UG	0.2 mg/ml in 1X PBS with 0.05% BSA, 0.05% sodium azide	20 ug
V6002SAF-100UG	1 mg/ml in 1X PBS; BSA free, sodium azide free	100 ug


Recombinant **MOUSE MONOCLONAL**

**Bulk quote request**


Species Reactivity	Human
Format	Purified
Host	Mouse
Clonality	Recombinant Mouse Monoclonal
Isotype	Mouse IgG1, kappa
Clone Name	r15G12
UniProt	P09486
Localization	Basement membrane, Extracellular matrix, Extracellular space, Secreted
Applications	Immunohistochemistry (FFPE) : 1-2ug/ml Western Blot : 2-4ug/ml
Limitations	This SPARC/Osteonectin antibody is available for research use only.



Western blot analysis of A-375 cell lysate using SPARC / Osteonectin Recombinant Mouse Monoclonal Antibody (r15G12).



Formalin-fixed, paraffin-embedded human testis stained with SPARC / Osteonectin Recombinant Mouse Monoclonal Antibody (r15G12). Inset: PBS instead of primary antibody; secondary only negative control.



Western blot analysis of Human Brain and U87 lysates using SPARC / Osteonectin Recombinant Mouse Monoclonal Antibody (r15G12).

## Application Notes

1. Optimal dilution of the SPARC/Osteonectin antibody should be determined by the researcher.
2. This SPARC/Osteonectin antibody is recombinantly produced by expression in CHO cells.

## Immunogen

Prokaryotic recombinant protein corresponding to a portion of the C-terminus of the human osteonectin molecule was used as the immunogen for the SPARC/Osteonectin antibody.

## Storage

SPARC/Osteonectin antibody with sodium azide store at 2 to 8°C; antibody without sodium azide store at -20 to -80°C.