


# Steryl-sulfatase Antibody / Steroid sulfatase / Arylsulfatase C (RQ6523)


Catalog No.	Formulation	Size
RQ6523	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

## **Bulk quote request**


Availability	1-3 business days
Species Reactivity	Human
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Affinity purified
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	P08842
Localization	Cytoplasmic
Applications	Western Blot : 1-2ug/ml Immunohistochemistry (FFPE) : 2-5ug/ml Flow Cytometry : 1-3ug/million cells Direct ELISA : 0.1-0.5ug/ml
Limitations	This Steryl-sulfatase antibody is available for research use only.



IHC staining of FFPE human placental tissue with Steryl-sulfatase antibody. HIER: boil tissue sections in pH8 EDTA for 20 min and allow to cool before testing.



Flow cytometry testing of human U-87 MG cells with Steryl-sulfatase antibody at 1ug/million cells (blocked with goat sera); Red=cells alone, Green=isotype control, Blue=Steryl-sulfatase antibody.



Western blot testing of human placental tissue lysate with Steryl-sulfatase antibody. Predicted molecular weight  $\sim$ 65 kDa.

### **Description**

Steroid sulfatase (STS), or steryl-sulfatase, formerly known as arylsulfatase C, is a sulfatase enzyme involved in the metabolism of steroids. It is encoded by the STS gene. This gene encodes a multi-pass membrane protein that is localized to the endoplasmic reticulum. It belongs to the sulfatase family and hydrolyzes several 3-beta-hydroxysteroid sulfates, which serve as metabolic precursors for estrogens, androgens, and cholesterol. Mutations in this gene are associated with X-linked ichthyosis (XLI). Alternatively spliced transcript variants resulting from the use of different promoters have been described for this gene.

#### **Application Notes**

Optimal dilution of the Steryl-sulfatase antibody should be determined by the researcher.

#### **Immunogen**

An E. coli-derived human protein (amino acids K297-Q547) was used as the immunogen for the Steryl-sulfatase antibody.

#### **Storage**

After reconstitution, the Steryl-sulfatase antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.