

## TLE1 Antibody / Transducin like enhancer of split 1 [clone MSVA-856R] (V6122)

| Catalog No. | Formulation   | Size   |
|-------------|---|--------|
| V6122-100UG | Antibody in 1X PBS with 0.05% BSA, 0.05% sodium azide | 100 ug |
| V6122-20UG  | Antibody in 1X PBS with 0.05% BSA, 0.05% sodium azide | 20 ug  |

Recombinant RABBIT MONOCLONAL

**Bulk quote request**

|                    |  |
|--------------------|--|
| Species Reactivity | Human  |
| Format             | Purified   |
| Host               | Rabbit   |
| Clonality          | Recombinant Rabbit Monoclonal  |
| Isotype            | Rabbit IgG, kappa  |
| Clone Name         | MSVA-856R  |
| UniProt            | Q04724   |
| Localization       | Nucleus  |
| Applications       | Immunohistochemistry (FFPE) : 1-2ug/ml   |
| Limitations        | This TLE1/Transducin like enhancer of split 1 antibody is available for research use only. |



Transducin-like enhancer protein 1 Rabbit Recombinant Monoclonal Antibody (MSVA-856R) tested on many normal and cancer tissues. The immunohistochemistry staining in these tissues aligns with the expression data in Human Protein Atlas.

Manual Protocol: Freshly cut sections should be used (less than 10 days between cutting and staining). Heat-induced antigen retrieval for 5 minutes in an autoclave at 121oC in pH 7.8 Target Retrieval Solution buffer. Apply the antibody at a dilution of 1:150 at 37oC for 60 minutes. Visualization of bound antibody by the EnVision Kit (Dako, Agilent) according to the manufacturer's directions.

### Application Notes

- Optimal dilution of the TLE1/Transducin like enhancer of split 1 antibody should be determined by the researcher.
- This TLE1/Transducin like enhancer of split 1 antibody is recombinantly produced by expression in human HEK293 cells.

## Immunogen

Recombinant human TLE1 fragment (around amino acids 175-338) (exact sequence is proprietary) was used as the immuongen for the TLE1/Transducin like enhancer of split 1 antibody.

## Storage

TLE1/Transducin like enhancer of split 1 antibody with sodium azide - store at 2 to 8oC; antibody without sodium azide - store at -20 to -80oC.