


# **TNFRSF1B Antibody / TNFR2 (R32001)**

Catalog No.	Formulation	Size
R32001	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

### **Bulk quote request**

Availability	1-3 business days
Species Reactivity	Human, Mouse
Format	Antigen affinity purified
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit IgG
Purity	Antigen affinity
Buffer	Lyophilized from 1X PBS with 2% Trehalose
UniProt	P20333
Localization	Cytoplasmic, membrane
Applications	Western Blot : 0.5-1ug/ml
Limitations	This TNFRSF1B antibody is available for research use only.



Western blot testing of 1) human SW620, 2) human COLO-320, 3) human ThP-1, 4) human K562 and 5) mouse ANA-1 cell lysate with TNFRSF1B antibody. Predicted molecular weight: 50~80 kDa depending on glycosylation level.

## **Description**

Tumor necrosis factor receptor 2 (TNFR2/TNFRSF1B) is one of receptors of TNF. TNF has proinflammatory and immunosuppressive properties that may segregate at the level of the 2 TNF receptors (TNFRs), TNFR1 and TNFR2. The genes for TNFR1, a 55-kDa protein, and TNFR2, a 70-kDa protein, have been mapped to human chromosomes 12 (12pter-cen) and 1 (1pter-p32), respectively. TNFR2 was induced on glomerular endothelial cells of nephritic kidneys, and TNFR2 expression on intrinsic cells, but not leukocytes, was essential for glomerulonephritis and glomerular complement deposition. TNFR1 promotes systemic immune responses and renal T cell death, while intrinsic cell TNFR2 plays a critical role in complement-dependent tissue injury. Therefore, therapeutic blockade specifically of TNFR2 may be a

promising strategy in the treatment of immune-mediated glomerulonephritis.

### **Application Notes**

Optimal dilution of the TNFRSF1B antibody should be determined by the researcher.

#### **Immunogen**

Amino acids KKKPLCLQREAKVPHLPADKARGTQGPEQQH of human TNF Receptor II were used as the immunogen for the TNFRSF1B antibody.

#### **Storage**

After reconstitution, the TNFRSF1B antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.