
TOX-3 Antibody (F54408)


Catalog No.	Formulation	Size
F54408-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F54408-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human, Mouse
Format	Purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Antigen affinity purified
UniProt	O15405
Applications	Flow cytometry: 1:25 (1x10e6 cells) Western blot: 1:500-1:2000 Immunohistochemistry (FFPE): 1:25
Limitations	This TOX-3 antibody is available for research use only.




Western blot testing of human MDA-MB453 lysate in the absence and presence of immunizing peptide, using TOX-3 antibody. Predicted molecular weight ~63 kDa.




Western blot testing of mouse lung lysate in the absence and presence of immunizing peptide, using TOX-3 antibody. Predicted molecular weight ~63 kDa.



Western blot testing of mouse stomach lysate with TOX-3 antibody. Predicted molecular weight ~63 kDa.



IHC testing of FFPE human brain tissue with TOX-3 antibody. HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to staining.



Flow cytometry testing of human WiDr cells with TOX-3 antibody; Blue=isotype control, Green= TOX-3 antibody.

Description

TOX-3 contains an HMG-box, indicating that it may be involved in bending and unwinding of DNA and alteration of chromatin structure. The C-terminus of the encoded protein is glutamine-rich due to CAG repeats in the coding sequence. A minor allele of this gene has been implicated in an elevated risk of breast cancer.

Application Notes

The stated application concentrations are suggested starting points. Titration of the TOX-3 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 214-242 from the human protein was used as the immunogen for the TOX-3 antibody.

Storage

Aliquot the TOX-3 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.

Copyright © NSJ Bioreagents. All rights reserved.