


TPPP Antibody (R33583)


| Catalog No. | Formulation | Size |
|--------------|-------------------------------------------------------------------------------|--------|
| R33583-100UG | 0.5 mg/ml in 1X TBS, pH7.3, with 0.5% BSA (US sourced) and 0.02% sodium azide | 100 ug |

[Bulk quote request](#)


| | |
|----------------------|--------------------------------------------------------------------------------------------------------|
| Availability | 1-3 business days |
| Species Reactivity | Human, Mouse, Rat |
| Predicted Reactivity | Pig |
| Format | Antigen affinity purified |
| Clonality | Polyclonal (goat origin) |
| Isotype | Goat Ig |
| Purity | Antigen affinity |
| Gene ID | 11076 |
| Localization | Cytoplasmic, nuclear |
| Applications | Western Blot : 0.1-0.3ug/ml Immunohistochemistry (FFPE) : 2-5ug/ml ELISA (peptide) LOD : 1:32000 |
| Limitations | This TPPP antibody is available for research use only. |




Western blot testing of human cerebellum lysate with TPPP antibody at 0.001ug/ml.
Predicted molecular weight: ~24 kDa.



Western blot of mouse (A) and rat (B) brain lysate with TPPP antibody at 0.001ug/ml. Predicted molecular weight: ~24 kDa.



IHC staining of FFPE human cerebral cortex with TPPP antibody at 4ug/ml. HIER: steamed with pH6 citrate buffer, AP-staining.



IHC staining of FFPE human cerebellum with (top) and without (bottom) TPPP antibody at 2ug/ml. HIER: steamed with pH6 citrate buffer, HRP-staining.

Description

Additional name(s) for this target protein: Tubulin polymerization promoting protein

Application Notes

Optimal dilution of the TPPP antibody should be determined by the researcher.

Immunogen

Amino acids DPSKDRAAKRLSLES were used as the immunogen for this TPPP antibody.

Storage

Aliquot and store the TPPP antibody at -20oC.