
TRIM65 Antibody (F54616)


Catalog No.	Formulation	Size
F54616-0.4ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.4 ml
F54616-0.08ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.08 ml

Bulk quote request


Availability	1-3 business days
Species Reactivity	Human
Format	Purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Purity	Antigen affinity purified
UniProt	Q6PJ69
Localization	Cytoplasmic, nuclear
Applications	Flow cytometry: 1:25 (1x10e6 cells) Immunofluorescence: 1:25 Immunohistochemistry (FFPE): 1:25 Western blot: 1:500-1:2000
Limitations	This TRIM65 antibody is available for research use only.




IHC testing of FFPE human prostate carcinoma tissue with TRIM65 antibody. HIER: steam section in pH6 citrate buffer for 20 min and allow to cool prior to staining.



Immunofluorescent staining of human NCI-H460 cells with TRIM65 antibody (green), DAPI nuclear stain (blue) and anti-Actin (red).



Western blot testing of human NCI-H460 cell lysate with TRIM65 antibody. Predicted molecular weight ~57 kDa.



Flow cytometry testing of human NCI-H460 cells with TRIM65 antibody; Blue=isotype control, Green= TRIM65 antibody.

Description

TRIM65 belongs to the TRIM/RBCC family. It contains one B box-type zinc finger, one B30.2/SPRY domain and one RING-type zinc finger.

Application Notes

The stated application concentrations are suggested starting points. Titration of the TRIM65 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

Immunogen

A portion of amino acids 327-355 from the human protein was used as the immunogen for the TRIM65 antibody.

Storage

Aliquot the TRIM65 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.

Ordering: Phone: 858.663.9055 | Fax: 1.267.821.0800 | Email: info@nsjbio.com
Copyright © NSJ Bioreagents. All rights reserved.