


## VEGFB Antibody / VEGF2 (R32958)

Catalog No.	Formulation	Size
R32958	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

**Bulk quote request**

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human, Mouse, Rat
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit IgG
<b>Purity</b>	Antigen affinity
<b>Buffer</b>	Lyophilized from 1X PBS with 2.5% BSA, 0.025% sodium azide
<b>UniProt</b>	P49765
<b>Localization</b>	Secreted
<b>Applications</b>	Western Blot : 0.5-1ug/ml Direct ELISA (recombinant Human Protein) : 0.1-0.5ug/ml (BSA-free format available)
<b>Limitations</b>	This VEGFB antibody is available for research use only.



Western blot testing of 1) human placenta, 2) rat pancreas, 3) mouse heart and 4) mouse skeletal muscle lysate with VEGFB antibody at 0.5ug/ml. Expected molecular weight: 22-32 kDa depending on glycosylation level.

## Description

Vascular endothelial growth factor B also known as VEGF-B is a protein that, in humans, is encoded by the VEGF-B gene. VEGF-B is a growth factor that belongs to the vascular endothelial growth factor family, of which VEGF-A is the best-known member. In contrast to VEGF-A, VEGF-B plays a less pronounced role in the vascular system: Whereas VEGF-A is important for the formation of blood vessels, such as during development or in pathological conditions, VEGF-

B seems to play a role only in the maintenance of newly formed blood vessels during pathological conditions. It also plays an important role on several types of neurons. And it is important for the protection of neurons in the retina and thecerebral cortex during stroke and of motoneurons during motor neuron diseases such as amyotrophic lateral sclerosis.

## Application Notes

Optimal dilution of the VEGFB antibody should be determined by the researcher.

## Immunogen

A recombinant human protein corresponding to amino acids Q25-A138 was used as the immunogen for the VEGFB antibody.

## Storage

After reconstitution, the VEGFB antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.