


Zebrafish NOTCH1 Antibody / NOTCH1A Antibody (RZ1443)

Catalog No.	Formulation	Size
RZ1443	0.5mg/ml if reconstituted with 0.2ml sterile DI water	100 ug

Bulk quote request

Species Reactivity	Zebrafish
Format	Antigen affinity purified
Host	Rabbit
Clonality	Polyclonal (rabbit origin)
Isotype	Rabbit Ig
Buffer	Lyophilized from a buffered saline solution containing 2% trehalose. Reconstitute with 0.2 mL distilled water to yield a final antibody concentration of 500 ug/mL.
UniProt	P46530
Applications	Western Blot : 0.5-1ug/ml
Limitations	This Zebrafish NOTCH1 Antibody / NOTCH1A Antibody is available for research use only.



Zebrafish NOTCH1 Antibody WB. Western blot analysis of NOTCH1A using anti-NOTCH1A antibody demonstrates a distinct immunoreactive band at approximately 262 kDa in zebrafish head tissue lysate, consistent with the expected molecular weight of NOTCH1, the zebrafish ortholog of human NOTCH1. NOTCH1 is a transmembrane receptor that serves as a central component of the Notch signaling pathway, regulating cell fate determination, tissue differentiation, and developmental patterning through cell-to-cell communication. The observed expression in zebrafish head tissue is consistent with the established role of Notch signaling in neurodevelopment, tissue organization, and vertebrate embryogenesis. Western blot was performed using 0.5 ug/ml primary antibody. Predicted molecular weight: ~262 kDa.

Description

Zebrafish NOTCH1 Antibody / NOTCH1A Antibody is designed for the detection and study of NOTCH1A, the zebrafish ortholog of human NOTCH1, a transmembrane receptor that serves as a central regulator of the Notch signaling pathway. Zebrafish NOTCH1 Antibody enables investigation of highly conserved developmental signaling networks that govern cell fate determination, tissue patterning, differentiation, and organ formation. Through these activities, NOTCH1 contributes to embryonic development and maintenance of normal tissue architecture throughout the vertebrate life cycle.

NOTCH1 belongs to the Notch family of cell-surface receptors that mediate direct cell-to-cell communication. Activation of

the receptor by neighboring ligand-expressing cells initiates a signaling cascade that ultimately influences transcriptional programs controlling cellular differentiation and developmental decisions. Because Notch signaling regulates fundamental processes of tissue organization, NOTCH1 has become one of the most extensively studied developmental signaling proteins in vertebrate biology.

Zebrafish NOTCH1 Antibody supports research into embryogenesis, neurodevelopment, cardiovascular development, and stem cell biology using a highly tractable vertebrate model system. Notch pathway components are strongly conserved between zebrafish and mammals, allowing investigators to examine developmental mechanisms relevant across species. Studies utilizing Zebrafish NOTCH1 Antibody can help characterize expression patterns associated with tissue specification, organogenesis, and developmental signaling events.

Beyond developmental biology, NOTCH1 has attracted significant research interest in regenerative medicine, cancer biology, vascular biology, and cell signaling. Notch-dependent pathways influence how cells respond to local environmental cues and coordinate differentiation within complex tissues. Because of its central role in regulating cellular identity and developmental fate, NOTCH1 remains an important target for investigations examining signaling networks that control tissue formation and maintenance.

Zebrafish NOTCH1 Antibody is useful for investigating Notch signaling, developmental biology, cell fate determination, tissue differentiation, organogenesis, and vertebrate physiology. Researchers utilize Zebrafish NOTCH1 Antibody to better understand molecular mechanisms governing developmental signaling pathways, cellular communication, tissue organization, and differentiation-dependent regulatory networks.

Learn more about NOTCH1 function, Notch signaling, and cell fate determination on our [NOTCH1 Antibody / Cell Fate Determination Receptor](#) page.

This Zebrafish antibody is part of a broader [Zebrafish / Danio rerio antibody panel](#) offered by NSJ Bioreagents.

Application Notes

The optimal working dilution of the Zebrafish NOTCH1 Antibody / NOTCH1A Antibody should be determined empirically by the investigator.

Immunogen

An E.coli-derived Zebrafish NOTCH1A recombinant protein (amino acids Q23-L2329) was used as the immunogen for the Zebrafish NOTCH1A / NOTCH1 Antibody.

Storage

After reconstitution, the Zebrafish NOTCH1A / NOTCH1 Antibody can be stored for up to one month at 4oC. For long-term, aliquot and store at -20oC. Avoid repeated freezing and thawing.

Alternate Names

Zebrafish NOTCH1 Antibody, Zebrafish NOTCH1A Antibody, Zebrafish Notch Receptor 1 Antibody, Zebrafish Developmental Signaling Receptor Antibody, Zebrafish Cell Fate Determination Protein Antibody, Zebrafish Notch Pathway Receptor Antibody, Zebrafish Transmembrane Signaling Protein Antibody

