


## Eotaxin 3 Antibody / CCL26 (C-Terminal Region) (F54151)

Catalog No.	Formulation	Size
F54151-0.2ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.2 ml
F54151-0.05ML	In 1X PBS, pH 7.4, with 0.09% sodium azide	0.05 ml

[Bulk quote request](#)

<b>Availability</b>	1-3 business days
<b>Species Reactivity</b>	Human
<b>Format</b>	Antigen affinity purified
<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal (rabbit origin)
<b>Isotype</b>	Rabbit Ig
<b>Purity</b>	Antigen affinity
<b>UniProt</b>	Q9Y258
<b>Applications</b>	WB:1:1000-1:2000 :
<b>Limitations</b>	This Eotaxin 3 antibody is available for research use only.



Western blot testing of human 1) 293T/17, 2) HUVEC, 3) K562, 4) NCI-H460 and 5) PC-3 cell lysate with Eotaxin-3 antibody at 1:2000. Predicted molecular weight ~11 kDa.

### Description

Eotaxin 3 is a chemoattractant for eosinophils and basophils and acts as a ligand for C-C chemokine receptor CCR3 which triggers Ca<sup>2+</sup> mobilization in eosinophils. [UniProt]

### Application Notes

The stated application concentrations are suggested starting points. Titration of the Eotaxin 3 antibody may be required due to differences in protocols and secondary/substrate sensitivity.

## **Immunogen**

A portion of amino acids 58-92 from human Eotaxin 3 was used as the immunogen for the Eotaxin 3 antibody.

## **Storage**

Aliquot the Eotaxin 3 antibody and store frozen at -20oC or colder. Avoid repeated freeze-thaw cycles.